

| L Number | Hits | Search Text | DB | Time stamp |
|----------|--------|--|---|---------------------|
| 1 | 2 | 6070214.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/20 08:26 |
| 4 | 9 | (US-4726027-\$ or US-5136576-\$ or US-5313473-\$ or US-5828677-\$ or US-6662330-\$ or US-6425105-\$ or US-6292470-\$ or US-6181704-\$ or US-6021124-\$).did. | USPAT | 2004/02/20 09:40 |
| - | 242181 | (packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:30 |
| - | 3277 | ((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) with ack\$10 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:30 |
| - | 364577 | (packet\$1 or frame\$1 or message\$1 or block\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:51 |
| - | 3545 | ((packet\$1 or frame\$1 or message\$1 or block\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) with ack\$10 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:31 |
| - | 1244 | (retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:32 |
| - | 901 | ((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:33 |
| - | 748 | ((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:53 |
| - | 420 | ((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 709.clas.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:34 |

| | | | | |
|---|------|--|---|---------------------|
| - | 347 | (((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 709.clas.)) and 370.clas. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:36 |
| - | 3408 | 370/229-240.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:36 |
| - | 40 | (((packet\$1 or frame\$1 or message\$1) near6 (id\$2 or identif\$8 or number\$1 or sequen\$5)) and ((retransmi\$8 or re adj2 transmi\$8 or transmi\$8) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 709.clas.)) and 370/229-240.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:53 |
| - | 256 | (without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 nack\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:53 |
| - | 284 | (without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:16 |
| - | 12 | ((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370/229-240.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:53 |
| - | 5 | (((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370/229-240.ccls.) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:57 |
| - | 110 | ((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370.clas. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 13:57 |
| - | 61 | (((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370.clas.) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:16 |

| | | | | |
|---|-------|---|---|---------------------|
| - | 56 | (((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370.clas.) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) not (((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nack\$2 or negative adj2 ack\$10)) and 370/229-240.ccls.) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:06 |
| - | 272 | arq\$2 and window\$1 and ack\$10 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:06 |
| - | 485 | (repeat\$7 or repetitiv\$5) with until with ack\$10 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:06 |
| - | 12 | (arq\$2 and window\$1 and ack\$10) and ((repeat\$7 or repetitiv\$5) with until with ack\$10) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:06 |
| - | 8 | ((arq\$2 and window\$1 and ack\$10) and ((repeat\$7 or repetitiv\$5) with until with ack\$10)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:33 |
| - | 2610 | (without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nak\$2 or nack\$2 or negative adj2 ack\$10) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:26 |
| - | 233 | (((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nak\$2 or nack\$2 or negative adj2 ack\$10)) and 370.clas. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:17 |
| - | 19378 | slid\$5 near4 window\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:17 |
| - | 9 | (((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary) near8 (nak\$2 or nack\$2 or negative adj2 ack\$10)) and 370.clas.) and (slid\$5 near4 window\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:17 |

| | | | | |
|---|------|--|---|---------------------|
| - | 6876 | (without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary or use\$1 or using or usage\$1) near8 (nak\$2 or nack\$2 or negative adj2 ack\$10) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:33 |
| - | 6901 | (without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary or use\$1 or using or usage\$1) near8 (nak\$2 or nack\$2 or negative\$2 adj2 ack\$10) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:33 |
| - | 53 | ((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary or use\$1 or using or usage\$1) near8 (nak\$2 or nack\$2 or negative\$2 adj2 ack\$10)) and (slid\$5 near4 window\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 08:33 |
| - | 41 | ((((without or eliminat\$7 or obviat\$7 or requir\$8 or need\$3 or necessary or unnecessary or use\$1 or using or usage\$1) near8 (nak\$2 or nack\$2 or negative\$2 adj2 ack\$10)) and (slid\$5 near4 window\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @ptld<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 09:12 |
| - | 2 | 5740373.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 09:11 |
| - | 4 | 5740373.URPN. | USPAT | 2004/02/18 09:07 |
| - | 55 | continuous\$2 near4 arq\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 09:12 |
| - | 94 | preemptiv\$5 near6 (transmi\$8 or retransmi\$8 or re adj2 transmi\$8) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 09:12 |
| - | 43 | (continuous\$2 near4 arq\$2) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @ptld<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 09:13 |
| - | 80 | (preemptiv\$5 near6 (transmi\$8 or retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @ptld<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:44 |
| - | 2 | ((preemptiv\$5 near6 (transmi\$8 or retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @ptld<20001101 or @pd<20001101)) and (arq\$2 or gbn adj2 arq\$2 or sr adj2 arq\$2 or slid\$5 near4 window\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:44 |

| | | | | |
|---|--------|--|---|---------------------|
| - | 86343 | (link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:40 |
| - | 5884 | ((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same sync\$13 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:41 |
| - | 106553 | sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:57 |
| - | 1506 | ((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:43 |
| - | 872 | ((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and (7??clas. or 370.clas.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:43 |
| - | 328 | ((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and 714.clas. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:43 |
| - | 27 | ((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and (arq\$2 or gbn adj2 arq\$2 or sr adj2 arq\$2 or slid\$5 near4 window\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 12:44 |
| - | 23 | (((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and (arq\$2 or gbn adj2 arq\$2 or sr adj2 arq\$2 or slid\$5 near4 window\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/20 08:26 |
| - | 424 | (((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) same (sync\$13 near6 (pattern\$1 or bit or bits or byte\$1 or packet\$1 or message\$1 or frame\$1 or block\$1))) and 370.clas. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:32 |
| - | 821 | ack\$10 near6 (drop\$5 or los\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:33 |

| | | | | |
|---|------|---|---|---------------------|
| - | 118 | (ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:47 |
| - | 89 | ((ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:43 |
| - | 2 | ((ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)) with ((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:41 |
| - | 519 | ((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) with ack\$10 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:42 |
| - | 225 | ((((link or line or lines or bus or busses or buses or path or paths) near6 (error\$1 or fault\$1)) with ack\$10) with (miss\$3 or los\$5 or drop\$5 or receiv\$5 or reception\$1 or consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:47 |
| - | 89 | ((((ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:48 |
| - | 72 | ((((ack\$10 near6 (drop\$5 or los\$5)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:48 |
| - | 4512 | ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:47 |
| - | 194 | (ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:49 |
| - | 154 | ((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:49 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 203 | (ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:49 |
| - | 181 | ((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/18 14:49 |
| - | 126 | ((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 08:24 |
| - | 99 | ((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 08:24 |
| - | 99 | ((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 11:48 |
| - | 126 | ((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 08:25 |
| - | 79 | ((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (error\$1 or fault\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.) not (((ack\$10 near8 (consecutiv\$5 or sequence\$1 or sequent\$5 or order\$3)) with (retransmi\$8 or re adj2 transmi\$8)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (709.clas. or 714.clas. or 370.clas.)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 11:34 |
| - | 63 | go adj2 back\$3 adj2 arq\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 11:35 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 14 | gbn\$2 adj2 arq\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 11:35 |
| - | 72 | (go adj2 back\$3 adj2 arq\$2) or (gbn\$2 adj2 arq\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 11:36 |
| - | 57 | ((go adj2 back\$3 adj2 arq\$2) or (gbn\$2 adj2 arq\$2)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 13:00 |
| - | 102 | (nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 format\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 12:45 |
| - | 1 | ((go adj2 back\$3 adj2 arq\$2) or (gbn\$2 adj2 arq\$2)) and ((nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 format\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 12:44 |
| - | 865 | (nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 (id\$2 or identif\$10 or number\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 12:46 |
| - | 652 | ((nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 (id\$2 or identif\$10 or number\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 13:00 |
| - | 397 | ((nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 (id\$2 or identif\$10 or number\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 455.clas. or 709.clas. or 714.clas.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 13:01 |
| - | 123 | ((nack\$1 or nak\$1 or negative\$2 adj2 ack\$10) near8 (id\$2 or identif\$10 or number\$1)) and (@ad<20001101 or @rlad<20001101 or @prad<20001101 or @pt1d<20001101 or @pd<20001101)) and (370.clas. or 455.clas. or 709.clas. or 714.clas.)) and window\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/19 13:01 |